

REPORT

ON

RUSSIAN FRUITS.

BY

CHARLES GIBB, ABBOTTSFORD, QUE.

A PAPER FROM THE EIGHTH REPORT OF THE MONTREAL HORTICULTURAL SOCIETY.

Montreal :

"WITNESS" PRINTING HOUSE, ST. JAMES STREET, WEST.

1883.

REPORT

ON

RUSSIAN FRUITS.

 \mathbf{BY}

CHARLES GIBB, ABBOTTSFORD, QUE.

A PAPER FROM THE EIGHTH REPORT OF THE MONTREAL HORTICULTURAL SOCIETY,

Montreal :

"WITNESS" PRINTING HOUSE, ST. JAMES STREET, WEST.

kno frui

brou they intro

the

mat Can

like T

this praid Prove East clim

Hen

seve cultu Soc.

RUSSIAN FRUITS.

BY CHARLES GIBB, ABBOTTSFORD.

It may seem strange that the fruits of Russia are so little known in this country, scarcely known even in Germany, that the fruits of one part of Russia are often but little known in another.

Our fruits came to us, as it were, by chance. In the days of the old French Colony, the peasants of Normandy and Brittany brought with them the seeds and perhaps the scions of the apples they loved most in their native land. Later, the Englishman introduced his favorite fruits and the Scotchman his; in time the matter became commercial, and we soon had under trial in Canada and in the Eastern States all the best fruits of the mild humid portion of Western Europe.

That not until 1882 we should have begun to explore our ownlike climates in the old world seems strange indeed!

The fruits of Western Europe and their pure offspring born on this continent, as a rule, are not long-lived upon the Western prairies above latitude 43½, not a success above 45½ in this Province, and that only in exceptionally favorable localities. In Eastern Russia we find fruit growing a profitable industry in climates decidedly more severe than that of the City of Quebec. Hence we may expect to increase the area of fruit culture northward upon this continent very largely.

The uncertainty of these fruit trees of Western Europe in the severer climates, had led to large importations by the State Agricultural College at Ames, Iowa. (See 7th Report Montreal Hort, Soc., p. 151.) Prof. Budd had gathered there the largest collection.

me wit

by

thr

stro rac

tha

itse

fan hav

Th

pro

too

tino

tha

yet

con

The

Col

sive

froi

two

gro

star

em

son

the

nee

hav

the

of fruits for severe climates, which I know to exist; but such was the uncertainty of nomenclature, such the difficulty of getting exact information as to their probable value, that the work of sorting out the best seemed a work of many years. Northern horticulturalists were looking with great hope to the Russian fruits. The work could not be allowed to rest. Some one had to go to Russia. Mr. Budd and I went.

Those acquainted with Mr. Budd's work on the College farm at Ames, will readily see that several valuable lines of thought in this report are not mine but his.

To our Provincial and Canadian Governments I am indebted for the kind and hearty way in which they seconded my efforts by giving me such introductions to the Imperial Government as enabled me to follow up my work in Russia.

To the Department of Public Domains, and the Department of the Interior of the Imperial Government at St. Petersburg, I am indebted for the kind way in which they afforded us every assistance possible.

To our Botanical and Forestry friends my best thanks are due. In fact, one of the chief retrospective pleasures of my journey in Russia, was the kindness of my Russian friends, the kindness of my Polish friends.

Our work created some interest in Russia. Often, when speaking to people we happened to meet, we found that they knew all about our visit through notices in the Russian press.

At St. Petersburg it was intimated that a Commissioner would, most probably, be sent next year to Canada and to the United States, to do work similar to that which we had done in Russia. Our fruits he will find pretty well catalogued, pretty well looked up. As soon as we know of his coming, means must be taken to insure his obtaining all possible information, and that in as short a time as possible.

Nomenclature in Russia is hopelessly confused. Different names are given to the same apple in different localities, the same name to different apples growing in adjacent districts. So many names, however formidable they may sound in Russian, mean

merely round white, white sweet, white transparent, &c., names without individuality. Fortunately, a few names have been fixed by commercial demand, and are known by the same names throughout Russia.

One great difficulty in Russian nomenclature arises from the strong family likeness of seedlings of like parentage. A hardy race of the apple, seemingly more nearly allied to the wild form than the cultivated apples of Western Europe, has been grown for many centuries by seedling production, and has been reproducing itself from seed. Yet this is not strange news to us. Some families of apples, even when surrounded by apples of other types, have a strong tendency to reproduce themselves in their seedlings. The Gilpin or Little Romanite, Mr. Budd tells me, has been producing seedlings like itself in the West. The Calville family, too, is a striking example. Our Fameuse has a large progeny of strong parental likeness, and many think that two or more distinct varieties are commonly propagated under this name.

In Russia there is no standard of nomenclature, no authority that answers to the American Pomological Society or Downing, yet fruits received from that country must be propagated on this continent, as far as possible, under fixed, unchangeable names. The collections of apples on the farm of the State Agricultural College at Ames, Iowa, already number over 400 varieties, inclusive, no doubt, of many duplicates; additions, too, are being made from different parts of Russia. The collections received a year or two ago embraced most, not all, yet most of the best varieties grown in Russia. We must have, on this continent, one fixed standard of nomenclature, and it would seem best that it should emanate from Ames.

The converting of the Russian names into English needs some thought. We have not the sounds in English to render them exactly. In this matter our aim must be simplicity. We need names our farmers can spell and pronounce rather than a labored but more accurate rendering of the Russian sound. We have usually fallen in with the spelling in the list published by the Department of Agriculture at Washington, especially where

farm ght in

h was

etting

ork of

rthern

ussian

ad to

lebted rts by ent as

ent of I am assist-

e due. ney in ness of

when

t they s. would, Jnited Russia.

short

ten to

fferent same many mean varieties sent out by them have become known. However, the sound "ov" or "off" positively must not be spelled "ou" or "ow" as in Antonouka, Titowka, and for convenience we have used "ov" as in Antonouka, Titovka.

But one book, I believe, has been written on Russian Pomology, that by Dr. Edward Regel, Director of the Imperial Botanic Gardens at St. Petersburg, and published in 1868. This book was criticized severely, at the time of its issue, by some of the European journals; but I cannot help feeling that the critics did no take in a full view of the situation. Dr. Regel, in the fickle climate of St. Petersburg, was unable to test very many of the varieties he described, able only to describe them as received, and under such names as they were received by. The fact is, Dr. Regel did his full fair share towards the doing of a great work, and, as Mr. Budd observed, had this been followed up by the organization of a National Pomological Society, Russian nomenclature would now be in a very different state.

Mr. Shroeder, of the Agricultural College at Petrovskoe Rasumovskoe at Moscow, has very complete notes compiled from specimens and information received from different parts of Russia. These apples were, for the most part, received for trial on the College Farm, but I regret to say, that the unusual cold of the winter of 1877 and the cold clay soil upon which they are planted has been against them.

This collection was very large and contained the greater part of the best apples of the steppe climates. It is much to be regretted that these notes of Mr. Shroeder's, the work, in fact, has not been published. Mr. Shroeder has not visited the orchards from whence the grafts and fruits were obtained, yet his notes we found singularly exact. Such was the opinion we gradually formed as we continued our work in the Russian orchards.

Pomology is a neglected science in Russia. What has been done seems to be local individual work, not united work. Strange this neglect on the part of a Government which has founded such Botanic gardens, a Government which has done such noble work for future generations in its Forestry Department.

faul und not the

ofte ture cou

whice mon belo by of there

Eng and dry teen and

grea

wint Que tion the i er, the ou" or e have

Pomo-Botanic ook was Euro-did no e fickle of the eccived, is, Dr. t work, by the

rovskoe ed from Russia. on the of the hey are

nomen-

regrethas not rds from re found rmed as

as been Strange led such le work

ON CLIMATES.

The true index to a climate is the flora in its Botanic gardens; faulty only from the fact that these gardens are usually situated under the sheltering influence of some large town, and therefore, not a true record of what might be grown in bleak exposures in the same latitude.

The same is true of the meteorological stations. They, too often, like our McGill College Observatory, record the temperature and winds of a sheltered city rather than that of the open country.

We frequently heard of very low temperatures in Russia, which do not seem verified by the Government records. Thermometers often differ at very low temperatures, especially when below-forty. Yet the statements I quote in my report were made by careful observers, usually men on the Forestry Staff, and I therefore, with this caution, state the temperatures as given to me.

In this part of Canada we suffer from drought but not from diminished rain-fall. I must explain this apparent contradiction. England is a land of verdure, the lawns are like velvet, the trees and thatched roofs covered with moss. What a contrast to our dry climate, and yet the annual rain-fall of London is nearly thirteen inches less than that of Montreal. It is from aridity of air, and consequent rapid evaporation that we suffer.

In Russia we find fruit cultivated largely in climates where the conditions of extreme cold, dryness of air, and scanty rain-fall are greatly intensified.

In the Government of Kasan, above latitude 55 where the winter temperature is five degrees lower than in the city of Quebec, the rain-fall a good deal less than one-half, the evaporation as great, we find apple growing a great commercial industry, the industry, in fact, in twelve peasant villages. This is the coldest

profitable orchard region of the world, and the conditions of growth deserve study. The soil upon these exposed bluffs is a fine comminuted dusty clay, like a "loess." For retaining moisture, for absorbing it, for holding frost without injury to the roots, there is no better. The dry fall here causes perfect maturity of growth: the thick, fine textured leaf does not suffer from the dryness of the air. It was Mr. Budd, whose microscopic study of the leaves of these climates first showed their peculiar cellstructure. Thus we see that the apple tree of Kasan is a tree thoroughly adapted to the climate it lives in. However, the cold of Kasan seems more uniform than ours. In this Province we suffer from the warmth of the sun in late winter and early spring, warmth followed by sudden cold. This results in "bark-bursting" and "sun-scalding" of the trunk and lower branches. Such injury is rare in Eastern and Middle Russia, but how much this is owing to climate, how much to the character of their hardy race of trees I cannot say. In Kasan, too, we find the cherry and the plum grown in fair quantity—that is, nearly all the peasants have some.

In the Government of Vladimir, a climate scarcely different from that of Kasan, the cherry is grown in vast quantity and shipped by the car load. Upon what kind of soil I cannot say.

At Simbirsk on the Volga, in lat. 54, a climate just like Kasan, a degree less cold, and about one inch less rain-fall, we find the pear grown in fair quantity though only of second-rate quality. These trees, too, are thoroughly adapted to that climate, trees of terminate growth, with very thick, close-textured, dark glossy foliage, just like the pears of Northern China. Simbrisk and Toula seem to be the Northern limits of pear culture East of the Baltic Provinces.

At Saratof, on the Volga, in lat. 51, where the winter temperature is but one degree milder than the City of Quebec, we find very large orchards, one of 12,000 trees. A pear orchard, too, of 500 trees, and most of the varieties in good health. Yet here we were told that the mercury at times became solid. So near is Saratof to the desert steppes, so light the rain-fall, that irrigation is necessary for profitable orcharding.

poir to b trea at A

to be a distantial long but a grow

of the preposent of the

idea

futur

step

Kursk and Voronesh, in lat. 51, are the most southern of the points of special interest in Middle Russia. I fancy their climate to be rather colder than that of sheltered city gardens in Montreal, about as cold, I should say, as our exposed mountain slope at Abbottsford.

Kiev is decidedly milder, more like Toronto.

St. Petersburg is in lat. 60, so far North that the stars cease to be visible during two months in summer, the sun is too short a distance below the horizon. A cold coast climate; a Gaspé or Anticosti climate, one would suppose. A cool short summer, a long changeable winter, not colder on an average than Montreal, but subject to greater extremes of sudden cold. Early terminate growth is the special characteristic needed here.

Warsaw is a cold North German, rather than a Russian steppe climate.

I have to tender my thanks to Mr. Robert P. Scott, Secretary of the Meteorological Office in London, for his kindness in having prepared for me a table of the temperatures, humidity, &c., of certain points in Russia and Germany, and by way of contrast, of Canada also.

These tables are a great help towards our forming a correct idea of those climates from which we may expect so many of our future fruits.

Such this is race of the plum the some. Sifferent the some that the some

ons of

s is a

isture,

roots, rity of

ne dry-

udy of

ar cell

a tree

ice we

spring,

Kasan, find the quality. crees of glossy d Toula e Baltic

temperwe find too, of here we near is rigation

	MEAN TEM	MEAN TEMPERATURE.			Lowest	Average Moisture	Average	
	Years.	Wint'r.	Sum'r. Jn. Ag	10 183	Temp. in 1867.	Moisture in the Air.	Average Annual Rainfail	Authorities.
		Fabr.	Fahr.	Fahr.	Fahr.	%	Inches.	
	(1743-1800)		•			82	20.5)
St.Petersb'g	1805-1875	17.2	61.2	-35.7 x11.76	-27·0	28	11	
Riga	{ 1795-1831 } 1840-1875 }	24.0	62.6	-26.5	-12.8	80	22.1	
				1 76	жи 31	10	9	11
Moscow	$\left\{ \begin{array}{l} 1779 – 1792 \\ 1810 – 1875 \end{array} \right\}$	14.5	63.6	38·4 XII.76	36·4 11.1	80 11	23.4	₹ A.
Kasan	$\left\{ \frac{1812}{1827-1875} \right\}$	9.0	64.5	-26 7 XII.75		77 9	17:3	Annalles Repertori
Simbirsk	1855-1864	9.9	64.8	?-22·0 { II·77 { I·78	ļ.	77,4	18.7	s de
Saratof	$\left\{ \frac{1836-1857}{1872-1875} \right\}$	15.3	68.6	?-26·7		72 4	18.1	l'observand ur Mete
Tule	1846-1847	15.4	64.9		1			nd
Orel	{ 1838–1845 } { 1851–1863 }	15.8	65.6				24.66	ologie
Kursk	${1833-1837 \atop 1840-1859 \atop 1865 \cdot 1868}$	17.2	65.0				16.81	Annalies de l'observatoire de Russie Annalies de l'observatoire de Russie and Repertorium fur Meteorologie (Kanitz.)
Voronesh	${1862 \ 1865 \atop 1867-1869 \atop 1873-1875}$	16.2	65.2	-34·2 1.80		78 11	27.7	
Kief	1812-1875	22.6	65.1	-23 6 11.80		77	22·9 11	
Warsaw	$ \left\{ \begin{array}{l} 1760-1763 \\ 1779-1799 \\ 1803-1875 \end{array} \right\} $	25.7	64.2	-16·8 xu.79		80 11	22·2 11]
Berlin	16 years ? to 1868.	31.3	65.0	-2·2		73	22.9	Doves Klimatolo gische Beitrage Deutsche Seewar te obs'ns 1876-81
Vienna	1775-1874	30.9	67.5	-4·4 x11.79	7.9 xII.10	72	21·1 34	Vienna obsn's (1880 retu.ns.)
Reutlingen.	2 years.	34.5	65.0					Klimatologisch Bestrage.
Montreal	1870-1880	18.4	67.4	-25·2	,	*73-97 8	38·53 11	Canadian Ann. Reports.
Quebec	1870-1880	14.2	63.9	-26·5 1.78			39.81	
Toronto	1841-1881	23.8	65.3	15·1 11.81	-12·8	77	34·75 41	Toronto Genera Register, 1881.
London		• • • • • •		•••		81	25·17 80	Greenwich Obs'ns.

The figures entered under the Relative Humidity and Rainfall are the number of years from which the means have been obtained.

The spaces left blank indicate that no information is available.

* This item kindly filled in by Prof. McLeod, McGill College.

most are yo I thin ber or towns it in t Here tities holdi latitue to th treme of Qu are a When therm vious.

Iı

not s Kaza injury I have,

these Fahre

answ that i farthe would comn In th

tainly orcha tree.

Authorities

Verhaltrisse des Russichen Rieches, Annalles de l'observatoire de Russi and Repertorium fur Meteorologie (Kanitz.

ves Klimatoloves Beitrage a utsche Seewarobs'us 1876-81.

Vienna obsn's. 880 retu. ns.) Klimatologische utrage.

Canadian Ann. Reports.

oronto General gister, 1861. Green wich

number of

APPLES.

ANIS.—This is the leading apple of the Volga, the apple tree most highly prized, most largely grown. To the enquiry, which are your most profitable varieties? the reply invariably was Anis, I think, invariably, my notes show no exception nor do I remember one. Such was the verdict in all the orchards of the different towns and villages between Kazan and Saratof. We first met with it in that curious semi-oriental bazaar, the Nijni Novgorod fair. Here we find the Russian peasant orchardist bringing large quantities of it to the bazaar in bark boxes, usually willow bark boxes, holding about three bushels.

In the southern part of the Government of Kazan, in latitude 55, the same latitude as Moscow, but 430 miles to the east of it, in a continental climate, a climate of extremes, and yet 600 miles nearer the North Pole than the City of Quebec, there are twelve villages where the peasant proprietors are apple growers, the chief industry in fact is apple growing. When we were there the little trees were loaded with fruit, yet the thermometer had been down to forty below zero the winter previous. Five years before, during one day, the temperature on these exposed loess bluffs was—40 Reaumur, or 58 below zero by Fahrenhein's thermometer. These low temperatures, however, do not seem verified by the meteorological records in the City of Kazan. Hearing of these low temperatures I looked for winter injury to the trees, but did not find any traces of it.

In answer to the query, which is the hardiest apple tree you have, the tree that has stood best the most trying winters? the answer, I believe, always was Anis. The general idea there is that it is of all kinds known, the apple tree that can be grown the farthest North, except what they call the Chinese apple, or as we would say, the Siberian crab, and these crabs, which are not common, are true Siberian Prunifolias, and not less hardy hybrids. In these villages the apple is grown, in a good season, certainly to the value of \$50,000. In this, the coldest profitable orchard region in the world, the Anis is noted as their hardiest tree.

Many species of trees become dwarfed towards the northern limit of their growth. The most northern pines and spruces, birches and poplars, are but little shrubs; in the same way we find this Anis in Kazan, especially when growing on thin soil and without cultivation, loaded with fine fruit, and this, evidently, not one of their first crops, and yet the trees not more than six feet high. We find little trees planted two, three, and even four together in a clump like stalks of corn, three or four to a hill, and these clumps ten feet apart each way. This is strictly true of some orchards, not so of others; for upon richer and moister soil, the trees grew somewhat larger, and, as we went southwards, at each town we stayed at, we found the Anis larger, until, at Saratof, we saw Anis thirty-five years planted which had attained a diameter of trunk of ten inches. In nursery it is a slow and crooked grower such as nurserymen hate to grow and hate to sell after they have grown them. In orchard a slow grower. Trees in different places, pointed out as thirty years planted, seemed very small. In old orchards at Khvalinsk and elsewhere. it was considered the most long-lived tree. We saw there, trees seventy years at the very least. These were fourteen inches in diameter of trunk, branched low as the Anis usually is, and, though some large limbs had been removed some years ago, yet the trees were sound in trunk and top.

The Volga is a very old apple growing region. I am told that old poems, written about the time when Rurik was upon the throne of Kiev, about 850, allude to this. The maiden whose neck was like a swan, and whose lips were like cherries, had cheeks like a Volga apple. The high color of the apples of this dry region is very striking.

A wild rugged race of apple trees have been grown here for many centuries from seedling production, until we have a number of seedlings much alike in tree and fruit, and hence it is that the name Anis is but a family name.

As we used to gallop past these peasant orchards in our Tarantass, a basket on wheels without springs usually drawn by three horses abreast, we were always struck by the beauty, even

whe Ani Ros the the pink expe to ta too Whe Duc mat is fir fine dolla cent

Anis impo of M Anis valua quali Pete

> tree, prett shipp autur keép

buck midis th

medi

when some distance off, of one variety of the Anis. This is the Anis Alui or Pink Anis, and, I suppose, the same as the Anis Rosovoi or Rose Anis spoken of at Simbirsk and other places on the Volga. It is an oblate apple of full medium size, or about the size of the Fameuse, the color-of our Decarie mostly a deep pink with a light blue bloom. In these dry climates we may expect high color. When we were on the Volga it was too early to taste it in good condition, and besides this, it is often picked too early, perhaps, to reach distant markets by a certain time. Whether it will color and ripen on its way to market, like a Duchess, or whether, like our St. Lawrence, it will almost cease to mature after it is picked from the tree, I cannot say. The grain is fine, the flesh white and firm. It is really a dessert apple of fine quality. It often sells at two roubles per pood, that is one dollar per thirty-six pounds, when poorer fruit is selling at thirty cents, and under Russian care it keeps till late winter or spring.

On account of its beauty and hence its salableness this Pink Anis is the most valuable of the family, and, therefore, when importing let us be sure to get it. It would seem to be the Anis of Mr. Shroeder, at Petrovskoe, but would appear not to be the Anis Alui of Kazan, of Dr. Regel, which is described as acid, and valuable only for cooking, unless this is Dr. Regel's verdict of its quality when grown in the cooler and moister summer of St. Petersburg.

There are other varieties of the Anis which differ but little in tree, yet differ more widely in texture of flesh, but they are not so pretty. At Simbrisk the Blue Anis is spoken of as the best for shipping very long distances as Perm and Siberia.

The Anis Belui, of Kazan, is not an Anis, but is an early autumn yellow apple of small size and fine quality. It is not a keeper, and yet is often gathered from the tree into a barrel of buckwheat hulls and put at once into a cold place, and thus kept till mid-winter and even later. As Mr. Budd suggests, this possibly is the Anis Koritschnevoe of Mr. Shroeder.

ANISOVKA.—Under this name Mr. Shroeder tells us of a medium sized, flat, yellowish green apple, with bright red side,

ago, yet
old that
pon the
whose
es, had

brthern

pruces.

we find

oil and

tly, not

ix feet

n four

ill, and

true of

er soil,

hwards,

intil, at

ttained

ow and

hate to

grower.

olanted,

ewhere.

e, trees

ches in


is, and,

here for number that the

of this

in our rawn by ty, even grown a good deal about Moscow, and said to be a very good dessert fruit that keeps a long time, in fact all winter. Farther south it would not keep so long. Mr. Goegginger, at Riga, gives us a minute description of it, evidently the same apple, which he says is grown a good deal at Moscow, and to the south, and which proves hardy in these severe climates. However, he states its season to be from November to December. Its value to us would depend much upon its keeping qualities. The Anisovka, so named on the Volga near Kazan, is a sweet apple; that at Orel, Voronesh. &c., was thought to be same as Anis or same as Vosnikovka, a small yellow sweet apple said to be grown there in quantity. Such is the uncertain state of nomenclature.

ANTONOVKA.—This is the leading apple of the Russian steppes, the king apple of that vast prairie region from Tula to



ANTONOVKA,

the south of Kharkof, from Kozlof to Kiev, a vast prairie region unsurpassed in fertility by any region on this continent. It is the

leadin Europ a rank if the

where trees, promi noted enoug

so hig about north and m is poi long y we fin all of other

Sarate which was for not king February Fahre yet A the old health

killed

have are to none, spread

ry good Farther ca, gives hich he th, and e states e to us nisovka, that at same as

Russian Tula to

there in

leading apple over a larger section of country than any other in Europe, than any other apple I know of. No apple holds so high a rank above others in any large section o this continent; and yet if the Baldwin were equally hardy I would much prefer it.

We first meet with it in the cold climate of Tenki, in Kazan, where it is looked upon as the best of the "introduced" apple trees, and certainly the young trees we saw there were quite promising. In all the towns on the Volga we find the Antonovka noted as hardy as far as tried, and in some places, tried long enough to be thoroughly relied upon.

It is, however, in Central Russia that we find the Antonovka so highly prized. In the cold climate of Toula, in latitude 54, about 120 miles south of Moscow, yet 480 miles farther to the north than the city of Quebec, we find it considered their hardiest and most productive apple tree. A young tree, twelve years planted, is pointed out as having produced its eight poods, and old trees, long past their prime, twenty-five poods. In one peasant orchard we find the few scattered survivors of a previous orchard, nearly all of these were Antonovka; strange that this had stood while other kinds alongside of it, intermingled with it, had been killed, killed by a cold winter, I think in 1867.

In the Government of Tambof, half-way between Moscow and Saratof, there was a large orchard of 2700 trees, only 730 of which survived the winter of 1867, when mild warm rainy weather was followed by sudden cold. Antonovka, though injured, was not killed; it and Anis stood the best. That winter, at Orel, in February, the thermometer went down to 35 Rea., that is 46 Fahrenheit, and, in exposed places 37 Rea. or 51 Fahrenheit, and yet Antonovka there is above all others their leading apple, and the old trees we saw there were, as far as I can remember, in fine health.

At Veronesh we hear the same opinion, and hear of trees that have produced 27 poods or 972 pounds, nearly, half a ton, and are told that although "other apples have their faults this has none," It has its faults, but I quote this to show the widely spread opinion of those who grow it.

region
It is the

fru

cor

tex

a fi

qua

be

COC

are

tho

Ru

nar

pas

Jan

Ma

it v

ker

mo

livi rip

kee

rati

Sar

shi

was

bas

shi

grd

cou

soi

oui

app

wa

at

At Kursk we still find it their leading market fruit, and on the Bogdanoff estates, find it being planted in quantity as about the best investment the proprietors know of. Such investments scatter broadcast innumerable little dividends in the form of food and labor. What a blessing to a country is a horticultural aristocracy—it begets a horticultural peasantry, a home-loving, peace-loving, law-abiding peasantry. In Horticulture, we find the safest anchorage for a peasant population. We asked, at the Bogdanoff estates, why they specially chose Antonovka, and were planting it so largely, and were told it was because it was always a cash article, wanted in quantity for the northern market, for confections, for drying, for bottling in water, &c., and, a tree, in good soil, and in good seasons, can produce its twenty-five poods.

At the Forestry Convention, in Moscow, Mr. Budd asked one of the members, who was from Kiev, what were their best commercial apples. He called three others, also from the Government of Kiev, and after consulting together, named Antonovka first. The second upon the list was the Winter Citronen Apfel, a German apple of good quality, but not hardy farther north.

At Warsaw, where the climate is a cold North German rather than a steppe climate, we find the Antonovka one of their leading apples, but not their best, and there not a late keeper. Throughout this vaste steppe region, the Antonovka is "the" commercial apple, noted for its average annual bearing, its hardiness in extreme climate, its length of life, and fruitfulness in old age in these climates. It is, also, a first-rate nursery tree, a good straight In nurseries, when we found a number of rows of straight-growing healthy trees, all of the same kind, it was sure to be Antonovka. Hence it has "a nursery run," just as the Ben Davis had in Wisconsin a few years ago, and likely thus to be over-rated; tut in Central Russia it has been a century on trial, perhaps several centuries, and the quantities of it to be found in the Russian nurseries are grown to meet a known demand. It is a prairie apple suited to rich prairie soils it would seem. It does well on clayey soils and likes moisture. On dry sandy soil the fruit is said to fall from the tree and to be small in size.

fruit is large, sometimes very large, yellowish, oblong, somewhat conic, acid or sub-acid with slight sweetness, rather coarse in texture. When left upon the tree till fully ripe it is said to have a fine melon flavor, but then it ceases to be a long keeper. In quality it is not quite like any apple I know. It may, certainly, be rated as second quality for eating and, I hope, first for cooking. But few of the best commercial apples of this continent are of first quality as dessert apples. Its great fault is its color, though this does not prevent its being in active demand in all the Russian markets; it is the color to show bruises, yet it has the name of being a good shipping apple. At Warsaw it raiely keeps past Christmas. At Moscow, Mr. Shroeder cautiously says, till January or February. In Central Russia it was often said till March and, I think, even April was even mentioned. I doubt if it will prove a much better keeper than our Fameuse.

How long an apple keeps depends very largely upon how it is kept. The Russians handle their fruit, pack it and keep it, with more care than we do. They seem to look upon an apple as a living thing to be kept alive as long as possible. If allowed to ripen on the tree it has a rich melon flavor but then it will not keep. All apples in Russia picked for a distant market are picked rather earlier than we should pick them. When we arrived at Saratof, on September 11th, the apples were all picked and shipped to Moscow. At Tula, on September 18th, Antonovka was in huge piles in the orchards five feet wide, covered with basswood bark matting. At Orel we find what has not been shipped in an open shed in layers with straw between them.

This tree, on account of its good name and its good growth in nursery, is sure to become largely planted in this country. Its success will depend partly upon its suitability to our soil, but, and mainly, perhaps to the length of time it keeps under our method of picking, packing and shipping.

Has the Antonovka run into varieties like so many other apples by seedling production? The answer to this question was usually in the negative, yet with one or two exceptions, and at Tula, an apple was shown to us as the Doukavoya which

sked one est com-Govern-

d on the

bout the

s scatter

ood and

ocracy-

e-loving,

e safest

ogdanoff

lanting it

h article,

ions, for

il, and in

ntonovka en Apfel, orth. an rather

ir leading broughout ommercial diness in ld age in ld straight rows of las sure to a the Bennus to be on trial, e found in nd. It is

It does dy soil the size. The seemed to be none other than Antonovka, yet three fruit growers there each declared it to be distinct, and said it was as hardy and as productive.

Possart's Nalivia is said, at the Pomological School at Warsaw, to be a synonyme, Dr. Lucas, in one edition of his Pomology, held this view, and, in another edition, thought not, and this latter opinion is shared at Proskau and Riga.

Mr. Goegginger, of Riga, after a good deal of correspondence, rather thought they were not identical. Mr. Fritz Lucas now inserts it in his catalogize as a synonyme.

APORT.—This is 'he family of which our Alexander is a member, a large and widely scattered family and often of strong family type. No accurate notes seem to have been taken of the places where they live and thrive. We cannot in this country expect to do such work; the most we can do is to find out what is good there, import and propagate it here.

It is named Aport because imported long ago from Oporto in Portugal, just as another Russian apple which long ago found its way into Virginia, comes back to Russia via Germany under the name of Virginischer Rother.

Some of the apples we find under this name, show by their features that they are near relations of the Emperor Alexander, many others show no likeness whatever. Sometimes under other names, we find typical apples, like the Borodovka Belui of Orel, which is just like Alexander, but white. At Kursk too we find, under the name of Sklianka, a fruit of Aport form, but almost without color.

I am not sure that we saw the Alexander in Russia, though I believe it to be grown there. At Volsk we found a fruit very like it, only wanting in that slight flatness of the vase which our Alexander has. In the Kozlof market we find an apple just like it, though perhaps slightly larger in calyx, but it proved somewhat tough in texture, a sharp acid mingled with sweet, a fine apple, and it would seem a pretty good keeper. At Orel we find another, alike in look, but sweet, not as good as that in Kozlof or Veronesh markets.

with and Sour I su

Alex state rece Wag

says

one

Gaggiver It ar value I see alwa specthat seem

large tree good what Arab Fisch valua which be G an or there

apple

Mr. Shroeder describes Aport as a very large, flat, conic apple with a red side, of aromatic flavor, not productive and too heavy and liable to be blown from the tree, yet grown a good deal to the South of Moscow, at Orel, Tula &c., the best of the Aports. This, I suppose, is our Alexander, but I cannot be certain.

In the report of the Royal Hort. Soc. of London for 1822, the Alexander is mentioned as having been received from Riga and is stated to be a native of Southern Russia. It was most probably received from the late M. Wagner, grandfather of M. Chs. Henri Wagner.

The Aport Ossemie or Winter Aport, Mr. Fischer, at Voronesh, says, is like Titovka, in fact often difficult to tell apart, although the one is a summer and the other a winter fruit. This seems like the apple we saw under this name on the Volga at Tenki, at Prince Gagarine's, and very like the colored print of the Aport ossemie given by Dr. Regel. It is a large oblong handsome winter apple. It and what we saw in Kozlof market I should think the most valuable of the apples known there as Aport. Of the summer Aports I seem to know nothing. On the Volga we saw several kinds, always large, usually well colored, and of fair quality, but none that specially struck me as of special value to us. I do not know that they have any just right to the name Aport, yet that name seems to be thought applicable to large apples.

ARABKA (Arabskoe). Under this name there are one or more apples of decided promise. At Moscow, Mr. Shroeder tells us of a large conic apple of very deep color which is a long keeper. The tree he finds a little tender at Moscow, but says that it is grown a good deal in central Russia. In the market at Kozlof, we find what would appear to be this apple, in fair quantity, and known as Arabka, and specimens taken to Voronesh were recognized by Mr. Fischer, Director of the Botanic Gardens, who considers it a valuable cooking apple that keeps till May; but he added that, that which he had received from Riga, under that name, had proved to be Gros Mogul. At Volsk, on the Volga, in latitude 52, we found in an orchard, about 12 trees in profuse bearing, of an apple known there as Tchougounka, which means cast-iron; the fruit was

ndence, as now a mem-

family

places

rowers

rdy and

Varsaw,

nology, nd this

is good

der the

by their exander, er other of Orel, we find, out with-

hough I very like nich our it like it, omewhat he apple, another, Veronesh

roundish, of a dark purplish red, covered with a light bloom, much like the Blue Pearmain. It was above medium in size, although the trees were so overloaded; a firm solid acid fruit said there to keep two years. It also has the merit of holding on to the tree so firmly, that I could hardly find a windfall. It and Steklianka were the only varieties in this orchard not yet picked, on 8th At Saratof on the Volga we visited an orchard of 12,000 trees, where a week or two before, they were employing 300 pickers and 85 packers to ship to Moscow 25,000 poods of apples. In a good year they either did (or could, I am not sure that I understood correctly) produce 85,000 poods, which is equal to 1530 tons. From our description of the Tchougounka at Volsk they supposed it to be the Arabskoe-which apple they thought highly of and placed upon their list as third for profit. This Arabskoe has been long known at Saratof. The query is whether the trees I have spoken of as growing at Volsk and Saratof, are the same as the Arabka of Kozlof and of Mr. Shroeder; if so, the Arabka is likely to prove a valuable late keeper. A specimen picked at Volsk on 8th Sept. was eaten by us at Warsaw on Oct. 4th, a crude juicy sharp acid. It had been carried for nearly four weeks in a leather bag, which was usually full of books and apples, a bag which had its full share of rough usage, except when used for my pillow, and yet this apple had received no injury. This Volsk Arabska is really a remarkable keeper.

On the Bogdanoff estates near Kursk, we are shown a Tchougounka, a large round apple not quite as dark as at Volsk, and looking rather more like what we saw at Kozlof. This is found there to be a good cooking fruit, and a good keeper, but the tree is only fairly hardy, not ironclad as we would say.

The Arabka, and Arabka Polasatoe of Regel are altogether different apples; so, too, is that shown to us at Nijni Novgorod, an egg shaped, fair sized, hard, long keeper.

ARCAD. I am not sure that there is any apple in this family of special value. They are a family of early apples, sweetish, and of but medium size, but the trees have proved very hardy.

In Moscow in 1877, during one week the thermometer ranged

fro day reg to whit to dethe the Mr. swe live

fine

at 2

supp

caus

of fi perh man

appl carri Kozl

size, yet t swee likel to M said Seas

Volg at K tree from -32 to -34 R. that is from -40 to -44 Fahr., and one day it fell to -35 R, that is to -4634 Fahr. This was the register on the college farm at Petrovskoe, and caused sad injury to the young orchard, for here Mr. Shroeder had a heavy soil which tended to produce late growth, as well as a severe climate to contend with. Of all the varieties in the orchard which stood the best? The Koritschnovoes and the Arcads; and of the Arcads the Dlennuii or long arcad seemed about the best. At Voronesh Mr. Fischer tells us of six kinds of Arcad, all much alike, early and sweet; but he says that the tree though apparently hardy does not live anything like as long as Antonovka, of which latter he shows fine healthy trees 40 years planted, whereas the Arcads usually die at 20; that is, they die by degrees, branch by branch, one might suppose like our Canada Baldwin, on warm soils from sun scald caused by early flow of sap, so that perhaps it needs heavier soil.

Dr. Regel in his work describes a Red Arcad, which is an apple of first quality that keeps all winter. The colored print of it is perhaps the most strikingly beautiful in the book. I enquired in many places about this apple, but could get no information about it. An apple of such beauty is worth looking after.

Beresinskoe. Mr. Shroeder speaks of this as a large whiteish apple with yellow side, flesh firm but breaking, not able to bear carriage well, but a very fine autumn dessert fruit.

Beriosovka. This we met and took a great fancy to in the Kozlof market. As we saw it there, it was a fruit of full medium size, oblate, red on one side in splashes and specks; very firm, yet breaking, very juicy, with a fine mingling of sub acid and sweetness. The seeds were black on 13 Sept., yet it seemed likely to keep two months. At Voronesh, we showed a specimen to Mr. Fischer who pronounced it true to name, and moreover said it was a good hardy and productive tree and a fine fruit. Season late autumn.

BLACKWOOD (Tchernoe Derevo) is a tree long known upon the Volga. At Khvalinsk we saw trees of it at least 70 years old, and at Kazan trees 30 years of age. It is a heavy bearer but not a tree of extra hardiness. It does not sun-scald, but its upper

though there to he tree eklianka on 8th 12,000 apples. at I unto 1530 hey supy of and has been at I have

e as the

rabka is

icked at

t. 4th, a

ar weeks

apples, a

used for his Volsk shown a at Volsk, This is eper, but

ltogether gorod, an

family of sh, and of

er ranged

branches are sometimes killed, and this, no doubt, sometimes owing to exhaustion from heavy bearing. On the Volga it is the favorite late-keeping apple for home use. Were the tree hardy enough to be grown at Quebec it probably would prove valuable as a long-keeper. Mr. A. Webster, of East Roxbury, Vermont, who has kindly given us, in the last report of the Montreal Horticultural Society, his opinion upon thirty-eight varieties of Russian apples, tested by him, says of the Tchernoe Derevo, "fruit good, but not of special value—fall." Grown at the north it is a fruit of very fine quality and a pretty good keeper, such was our opinion as we tasted it on the Volga. It is one of those mild app es which seem specially to please the Russian palate. In the Volga region and in central Russia, its quality is first-rate, and thus it is, that, although of small size and unattractive color, it sells at extra prices, and becomes very profitable. At Saratof, in the two largest orchards we visited, one of 12,000 and the other of 4,000 trees, the Blackwood was named second on their list for profit, second only to Anis. In Russia it sells at 11 roubles per pood, 75 cents per 36 lbs., when other apples are selling at 40 kop. or 20 cents per pood, and it even has been sold up to 5 roubles per pood. Only, if picked early and kept in cool place would it be a keeping apple with us, and if so, possibly a valuable apple for home use.

BOGDANOFF.—This is an apple which has been grown upon the Bogdanoff estates near Kursk, probably for two centuries. Hitherto it has been known under the name of Pipka. There were about 300 trees of it in the orchard we visited. It is a stout, upright grower. Taking an average of years, the Antonovka produces more fruit per tree, but it does not keep so long. A large number of varieties have been tried, yet, next to Antonovka, they consider it their most profitable winter apple. As a late-keeping apple for home use they much prefer it to any other. The fruit is large, and in form, size and striping, much like our St. Lawrence.

ou

vai

be

ob

bu

Mı

ma

to

Ol

the

ful

at

in

cut

fro

The flesh, when tasted on 21st Sept., was whitish, firm, juicy, crude, unripe, rather fine grained, a mixture of sweet and crude sharp acid. As a long-keeping apple of fine quality, I have every hope of this being a very valuable variety.

imes owit is the ee hardy valuable Vermont, Montreal rieties of o, "fruit is a fruit r opinion es which a region is, that, ra prices. rgest ortrees, the ond only

its per 36

per pood,

Only, if

ng apple

wn upon

enturies.

s a stout,

vka pro-

A large

ra, they

-keeping

ne fruit is


awrence.

m, juicy,

nd crude

ve every

There



BOGDANOFF.

A good, late-keeping apple would be a perfect God-send to our province and its like climates. Bogdanoff is a most promising variety, well-worthy of its name, which means God-given.

BOHEMIAN GIRL, (Tsiganka, Zuiganka). — We saw this beautiful apple in the Voronesh Market, a medium-sized semi-oblate fruit, blushed all over with deep pink. The flesh is white, but quite past season when we tasted it. It is a great beauty, and Mr. Fisher says a hardy tree. A summer apple well-worthy of trial.

BOROVINKA (Borovitski) must be looked upon as a family mame. It was a member of this family that, long ago, migrated to this country and became known everywhere as the Duchess of Oldenburg. This apple we did not see in Russia. At Tenki, in the Government of Kazan, in a peasant orchard, we saw trees in full bearing of a fruit which both Mr. Budd and I looking carefully at it thought to be Duchess; but on tasting it we found it so fine in grain and so mildly acid, that we felt that no such difference in

The cut of Bogdonoff was taken from a rather large specimen. The other cuts are of fair average size. Antonovka, Titovka and Sapieganka, are copied from the "Sad i Ogrod" by Prof. Jankowski, of Warsaw. The others I traced from specimens.

texture and flavor could result from change of soil and climate. At Prince Gagarine's, Borovinka, perhaps this one, is looked upon as one of the varieties long known, not like Arabka and Antonovka introduced of late years. In another village near there we found another apple just like Duchess but sweet, or to say the least sweetish.

Mr. Shroeder, at Petrovskoe, describes the Borovinka as a large, round, pretty, striped apple, good for dessert or cooking, and says it is grown a good deal in middle Russia. We did not see the Duchess there or any apple like it. We find apples grown at Tula, Orel, Voronesh, &c., called Borovinka, which are not of Duchess type at all, more like White Koroshavka. At Orel, however, we find a Borovinka somewhat like Duchess, acid and in season till December or January, and said to be valuable and grown there in some quantity, so say my notes, though the apple has gone out of mind. On the Volga is grown a flat autumn striped apple which finds its way in quantity into the Kazan and Nijni markets also called Borovinka, an apple, I think, worthy of being introduced.

CHARLAMOVSKOE.—Mr. Shroeder speaks of this as a large, flat cooking apple with a red side, a variety he thinks highly of, Whether this may be that grown by Mr. Webster, in Vermont, and described in the Montreal Horticultural Report, page 53, I cannot say.

Mr. A. G. Tuttle, of Baraboo, Wisconsin, has an apple received by him under this name, which Mr. Tuttle says, "has the beauty of Duchess and quality of Domine and keeps through winter." Mr. Tuttle, I believe, has got hold of a valuable fruit.

CRIMEAN APPLE (Krimskoe).—This is the name under which we find, in different places, apples believed to have been brought from that region,

On the Bogdanoff estates, near Kursk, we find an oblong, egg-shaped, red apple, below medium in size, firm in flesh, and sharp acid, mingled with sweet; the tree is pretty hardy there, and, if I remember rightly, the fruit is a long keeper. At Volsk, the Krimskoe, though good in color, keeping and quality, was too small and conic to be valuable. At Kluchiche, near Kazan, at Mar-

quis thin in th fruit

prize spite thou in th but s tree, yet s years wher we f over find saw : large as so usefu

> a bea At V and Rege What with grain being long

pear as a centr Bogo climate.

ked upon

ntonovka

ve found

the least

s a large, and says see the grown at e not of rel, howad in sead grown has gone ed apple markets croduced. large, flat nighly of,

e receivhas the ugh winuit.

I cannot

ler which brought

ong, eggand sharp and, if I he Krimtoo small , at Marquise Paulucci's, we saw a large, roundish stripped apple, something like Duchess, not ripe; the tree was said to be fairly hardy in that extreme climate, and farther south noted for its immense fruit.

GOOD PEASANT (Dobryi Krestianin).—This apple is highly prized by the Russian people, and sells well in their market in spite of its unattractive color and small size. Our Pomme Grise, though long valued for its fine quality, does not sell at extra prices in the Montreal market, and, I fear, this Good Peasant would fetch but small prices when placed alongside better looking fruit. The tree, both in leaf and bud, is crab-like; its leaf is prunifolia in form, yet slightly pubescent. Near Kazan we saw trees more than 30 years old of it. At Volsk, Khvalinsk, Tula, Voronesh, everywhere almost we went, either on the Volga or in Middle Russia we found it a great favorite. People seemed to go into ecstacies over its delicious flavor. Mr. Shroeder, at Petrovskoe, does not find it quite hardy, though at Tula 120 miles further South, we saw a few fine old trees of it. Let us look upon it as a crab, a large sized green crab of fine quality, for it certainly is as hardy as some of our hybrid Siberians, and I think we shall find it a useful crab for home use for rather severe climates.

GRAND MOTHER (Baboushkino) is described by Mr. Shroeder as a beautiful bright red medium sized oblate apple of fine quality. At Voronesh, Mr. Fischer says it is a good and productive tree, and an excellent large sized apple that keeps till March. Mr. Regel describes it as an apple of first quality that keeps till May. What we saw under this name were above medium size, flat rather, with a large thick stalk; flesh white, firm, breaking, juicy, fine grained, unripe, but showing every sign of fine quality, and of being a long keeper. Its appearance is against it, yet these hardy long keepers deserve thorough trial.

GRUSHEVKA, or pear apple tree is probably so called from its pear like pyramidal form of tree. It is spoken of by Mr. Shroeder, as a hardy and productive tree, planted a good deal for market in central Russia and bearing a small early white fruit. On the Bogdanoff estates we see trees of it, with their pubescent leaves of

prunifolia form like the Good Peasant. Here it is spoken of as their earliest apple, white, sweet, of medium size, and good quality. At Tula we are told it is their earliest apple. Evidently from all we hear rather a favorite. The German Grushevka Mr. Shroeder says is much like it, but a little better in quality, and a week later. That called Grushevka at Kazan was a hard, yellow, fall fruit; neither must we confound it with the Gusevka of Regel which is described as a large winter cooking apple, but it is without doubt the Grushevka Moskovka of Dr. Regel.

KALAMAS.—Under this name we saw in one of the Peasant villages, in the Government of Kazan, an apple of medium or large size, deep red, with a light bloom, the beautiful color of the pink Anis, but larger, and marked with little dots. The flesh was greenish white crude and unripe. Such a beautiful fruit, thriving in so cold a climate should not be lost sight of.

KORITSCHNOVOIE ANANASNOE (literally the Cinnamon Pineapple).—This Mr. Fischer says is a small flat fruit of dark brownish red color, and very fine flavor. The tree, too, has proved very hardy at Voronesh. Mr. Shroeder speaks of its hardiness, its earliness, and aromatic flavor. At Orel, too, we hear it well spoken of. A fine flavored early apple it would seem. The Kor. Anan. of Regel seems very different.

KORITSCHNOVOIE POLASATOE.—This is the tree that stood the extreme cold in 1877, at Petrovskoe, when the thermometer went down to 44 below Zero. Mr. Shroeder says that it is much like Ananasnoe but striped, and ripens a month later, and keeps longer. This apple we saw to some extent in Central Russia. In the markets, when piled in pyramidal form, stalks upwards, they looked like small Duchess. However, the basin is more shallow, the form more conic. It has a peculiar flavor, and is quite good. A fall fruit which has proved quite profitable in cold climates.

LEAD APPLE (Svinsovka).—Mr. Shroeder says is a small, hard green cooking apple that keeps till the New Year, or till new apples, I am not sure which. We hear of it at Orel and at Voronesh, and as Mr. Fischer says, it is much like Zelonka.

MALITE (Malt).—This name has been given to a number of

favor ofte of t five has and brea not of tl appl fall quittrial.

app

Int

Victor near above Victor acid, grow weig abun

1

The feren I sized of K and to m we si

Kurs red o perh en of as
d quality.
from all
Shroeder
eek later.
all fruit;
which is
out doubt

e Peasant
n or large
the pink
was greenving in so

non Pinet of dark has proved diness, its ar it well The Kor.

t stood the neter went much like eps longer. In the

ards, they re shallow, puite good. imates.

small, hard or till new rel and at onka.

number of

apples on the Volga, grown in quantity from Kazan to Saratof. In the Government of Kazan, a little red Malite is one of their favorite market apples. It is medium or small in size, flat and often ribbed. The flesh is white, crisp, tender and juicy. Many of the peasants in the villages near Kazan, place it among their five best for profit, and grow it in quantity. At Simbrisk a Malite has the same bright dark color, but with a bloom like pink Anis and yellowish flesh; a fine grained, juicy apple, with firm but break flesh and sprightly flavor. At Saratof, Malite, I know not what kind, is named among their few best apples, and is one of the kinds grown there for a very long time. We find other apples, too, more or less of this type. At Simbrisk we find a large fall fruit somewhat resembling Duchess, and of good quality, quite unlike other apples named Malite, and perhaps worthy of trial.

RED KOROSHAVKA (Koroshavka Alui) is one of those strikingly beautiful apples one cannot forget. It has the color of our Victoria, a bright deep pink, and any part not so colored is as nearly as possible pure white. It is usually of medium size, often above, regular in outline, and never ribbed like Pink Anis. Like Victoria, its flesh is a pure white, and on 29th August, firm, crude acid, not ripe enough to fairly judge. This tree, like the Anis, when grown in the North is dwarf in habit, and where broken down by weight of snow, sound at the heart, and evidently a young and abundant bearer. At Tenki it was said to keep till January.

At Simbrisk we hear of a Koroshavka Alui which may be this. The Koroshavka of Regel is a long stalked little fruit very different from this or White Koroshavka.

REINETTE KURSKI.—Mr. Shroeder describes this as a mediumsized, flat, irregular, ribbed, yellow apple, named from the town
of Kursk. Not hardy at Moscow, but a good tree further South,
and a really good dessert fruit that keeps till Spring. The query
to my mind is whether this may not be the Reinette Russki which
we saw at Kursk, but which they would not admit to the Reinette
Kurski. It is a five-sided apple of the size of our Fameuse, with
red on one side. A fruit of fine quality, apparently a keeper, and
perhaps valuable.

ROSHDESTRENSKOE.—I can only quote Mr. Shroeder's opinion that it is a medium-sized or largish apple of high conic form, much like a Gilliflower; a dark, dull green with a dark red side. A good table and cooking apple, and a pretty good keeper. The tree is not hardy at Moscow, but does well farther South.

ROMNENSKOE, named from the town of Romna.—This Mr. Shroeder says is a round, solid, olive green fruit, with dark red side. Not hardy at Moscow, but valuable farther South. It is pretty enough to sell, and is a fair dessert and good cooking apple that keeps till Spring.

SERINKIA (Sierianka.)—This is said to be the Lehmapfel (or grey apple) of Germany, and is a very popular apple in the Baltic provinces, where it has been grown some say for a century or two. In Livonia, Courland and Poland, it has been planted in large quantity, and evidently is a favorite fruit. It has been propagated in quantity by the nurseries in Riga. It is a stout, straight and moderately vigorous grower. The fruit is of medium size, yellow with a little red, and is said by everyone to be of excellent quality. Unfortunately we did not see the fruit. In middle Russia, too, at Orel and Voronesh, we hear it spoken of as a good, hardy tree, and an excellent dessert fruit.

SKRUISAPFEL.—Dr. Regel speaks of this as an excellent table apple that keeps until the following Summer, and says that the tree endures the coldest Winters at St. Petersburg, and has been grown at Moscow, Tula, &c. Mr. Shroeder says it is a medium or small-sized apple, striped (but perhaps this only on one side, I am not sure), a very hardy tree, an apple of really good quality; good for dessert and cooking, that keeps sometimes till August. The tree has branches like a Scott's Winter, which cannot easily be torn out. The fruit, as we saw it, green, with a little dull red, beginning to appear on one side, and very heavy. Flesh greenish, juicy, rather tender, crude, and but very mildly acid, when ripe lacking acid one would think, otherwise quite good. A good late keeper for cold climates.

SKRUTE (Beel Skrute) is a profitable apple on the Upper Volga. A good-sized white apple, with red marblings, showy and very

popul be m its ca drive juicy, meno

apple very

greer good hardy sider Sklia greer proba

and y bearing side, seemand bearing the S

draw
oblor
Gree
Voro
tasted
but h
hardy

the S side, opinion nic form, red side. er. The

This Mr.
dark red
th. It is
cooking

apfel (or he Baltic ry or two. in large ropagated aight and ze, yellow nt quality. sia, too, at hardy tree,

llent table
that the
has been
a medium
n one side,
od quality;
ill August.
nnot easily
le dull red,
h greenish,
when ripe
good late

pper Volga.

wy and very

popular, but so variable in quality that I have thought there must be more than one apple in the markets under this name. Often its cavity is very shallow, and the stem like a peg that has been driven in, but this is not always so. Though fine-grained and juicy, it is sometimes woolly and flavorless, so that I cannot recommend it, in spite of its wide popularity in those cold climates.

SKLIANKA (Steklanka Zelonka). In this family there are some apples of the Rhode Island Greening type which promise to be very valuable.

Mr. Shroeder describes the S. Ostrovkaya, as a small conic green apple with a dull red side, long stalk and corrugated basin, good for cooking and dessert. It keeps till Summer, and is a good hardy Russian tree grown more in the south-west, a variety considered valuable by Mr. Shroeder. The S. Pestrui, or Sandy Sklianka, Mr. Shroeder says is a sour cooking fruit of medium size, greenish yellow, with some red that keeps till or into Winter. We probably met with both these apples, and yet we cannot be sure.


At Volsk we saw trees of this Sklianka type, bearing profusely, and yet full medium in size; surely the fruit would be large when bearing in moderation. It was green, rarely with some red on one side, very firm, crude, acid, with some slight sweetness. The tree seemed quite hardy at Volsk, and there seemed no doubt as to its bearing or keeping qualities. I believe we saw this same fruit in the Saratof market.

The Zelonka Moldavka of Voronesh is an apple I wish to draw special attention to. The specimen we had was large and oblong, a solid apple with a texture somewhat like a Rhode Island Greening, firm, acid, with very little sweetness. We got it at Voronesh on 13th Sept., and this description was made when tasted at Warsaw on Oct. 4th. It had been kept in our apple bag but had not suffered. Mr. Fischer showed us trees which seemed hardy and healthy, the fruit has the points of a first-rate cooking apple, and is a fair eating apple, a variety of great promise.

Dr. Regel describes several varieties of Sklianka, among other the Sklianka Revalskaya, a yellowish fruit with a little red on one side, grown at Pskov, Petersburg, and other places, usually hardy, but sometimes injured in severe winters. The S. Zelonka a small, green, very productive, cooking apple, grown near Dorpat and the Baltic provinces, generally. S. Medovka, (or Reinette Voronesh) received from Voronesh, green and later a greenish yellow, an excellent table apple, roundish, and of full medium size. It keeps all winter, and the tree is hardy at St. Petersburg in severe winters.

At Tula, Orel, Voronesh, &c., we see or hear of long keeping greenings, under the name of Sklianka and Zelonka, which are considered valuable in these cold climates. Of those we saw the Zelonka Moldavka of Voronesh, and the Sklianka of Volsk would seem the most promising.

TITOVKA, (Titus apple).—A large handsome fruit to be seen in quantity, in all the markets of the Volga, and of Middle Russia.



TITOVKA.

It looks like a large ribbed, elongated Duchess, and on account of its large size and attractive color, very salable and therefore

valuab
At Ter
and fro
many
of an
ago.
would
Antono
juicy a
better
the ea

apples
Uk
at Viln
colorec
a good
Shroed
and the
which
under t
said to
it is no
milder
a green
an app

VA
some r
so says
it often
among
we hea

VA and sai describ cookin valuable. At Simbirsk it is considered one of the most profitable. At Tenki, near Kazan, it is a success, both in nursery and orchard, and from what we saw would seem to have been grown there for many years. At Tula we see one very old tree of it, a survivor of an ancient orchard, killed by a severe winter many years ago. It is therefore a tree that thrives in the severest climates. It would not be safe to assume it to be quite as hardy as Anis or Antonovka, yet it is not very far from it. The flesh is coarse, but juicy and mildly acid, quite good, not at all disappointing, rather better than Duchess, because less acid. In season it is not one of the earliest, yet is a summer or late summer fruit. We might reasonably expect this to become one of the great commercial apples of our country.

UKRAINSKOE.—I was very much struck by a young tree I saw at Vilna, in full bearing. It looked as if bearing a crop of uncolored Northern Spy. At Orel we hear of it as a hardy tree, and a good apple, but not as productive as some other kinds. Mr. Shroeder also notes it as a light bearer, but says the tree is hardy, and that it is a good cooking and second qualitied eating apple which ships and keeps well. At Saratof, we are told of an apple under this name that has been grown there for a very long time, said to be quite hardy in that climate, and to keep till march, and it is noted there as one of their profitable market fruits. In the milder climate of Warsaw, our friends say, why grow Ukrainskoe a green apple, when you might as well grow a red one. Color in an apple is a very good point, yet I feel that any good late keeping apple that thrives upon the Russian Steppes is worthy of trial.

VARGUL.—A firm flatish conic apple of yellowish color, with some red on one side of extra quality, and keeps till May or June, so says Mr. Shroeder. I do not think we saw it, yet we heard of it often in Middle Russia. At Tula an amateur friend puts it among his five best varieties. At Orel, at Voronesh and Kursk, we hear an apple well spoken of under this name.

VARGULOK (or little Vargul) is often confounded with Vargul, and said by some to be the same. Mr. Shroeder has both, and describes this as a medium sized yellowish green apple, good for cooking or table, a long keeper and tree hardy at Moscow.

account therefore

a small.

and the oronesh)

w, an ex-

keeps all

hich are

saw the

sk would

e seen in

Russia.

vinters. r keeping VIRGINISCHER ROSENAPPEL.—It is strange how a fruit may wander to distant lands, and generations after, return to its native land unrecognized. We first saw this in the nursery of the Pomological School at Proskau, and Mr. Budd declared that it must be the "Fourth of July." We then looked up the cast of the fruit in the museum and so it seemed to be. Why should it have the name Virginia unless it had been there, and how in those early days get there except via England. Yes, we may suppose it to have been included in those importations from Russia, made during the lifetime of the late Andrew Knaight, and thence found its way to Virginia. Its name becoming lost, it was grown westward and northward in America as the Fourth of July, and returns to Russia, the land of its ancestors, even if not the land of its birth, as the Virginischer Rosenapfel.

WHITE KOROSHAVKA.—This is a favorite apple in the markets at Nijni Novgorod and Kazan, and is grown in fair quantity along the Volga for market purposes. It is an early apple, yet not one of the earliest, a fair sized white fruit with little marblings and stripes of red; tender, rather juicy, and so mildly acid as to incline to be almost sweet, but nice and pleasant, invariably good, and therefore better in quality than Skrute, though perhaps hardly grown in as great quantity. We find it grown largely in the villages in Kazan, and apparently quite hardy there, so that its hardiness one need not have doubts about; yet a friend at Simbrisk in a trying soil and situation finds in the long run that neither the White nor Red Koroshavka are equal in hardiness to the Anis and Antonovka, yet for all that a hardy tree, and I would say, a good summer apple lacking neither in beauty nor in good quality.

Of the coast apples in Russia I seem to know very little. We had no opportunity of seeing them in bearing. The climate is not our climate, yet their experience is valuable. Dr. Regel selected out of a longer list 41 kinds which he recommended, and out of these he marked ten kinds with double stars. These ten kinds are Antonovka, Aport (autumn), Borovinka, Belui Naliv, Red Summer Calville, Koritschnevoe (Zimmetapfel), Koritschnevoe Ananasnoe, Polosatoe Novgorodskoe, Skvosnoe Naliv, Skriusapfel, Titovka.

stoc

wha here

of vi

gard trees kind ance Loui

ŀ

to st

from Mr. of ra By n milde the a

Scho work fast of From notes tryin

clima

we n

ON FRUITS IN CENTRAL EUROPE.

Our work in Russia was an endeavor to find out what fruits had stood the test of climates as severe as our own.

In central Europe another field of work presented itself, viz: what varieties, valuable in these milder climates, are worthy of trial here?

Our journey from London onwards was a constant succession of visits to Horticultural and Botanic Gardens, Pomological and Forest Schools, steady, rapid work, without time even to arrange our notes.

At Verrieres, near Paris, in the gardens of M. Henri de Vilmorin, gardens full of botanic rarities, we specially noticed that the apple trees which had been selected for cordon training, included many kinds whose leaf and early terminate growth betokened northern ancestry. We noticed this, too, in the nurseries of M. Simon Louis, at Metz.

At the Jardin des Plantes, in Paris, we had a grand opportunity to study the different races of the pear. A large collection, botanical as well as horticultural, including different races from China, from Japan, India and different parts of Europe, and their hybrids. Mr. Budd is the one man who has taken up this botanic question of races, and applied it practically to northern horticulture. By noting certain characteristics of race one might collect in the milder parts of Europe, varieties of the apple and the pear, with the assurance that a large part of them would prove hardy in severe climates.

At Reutlingen, in Wurtemburg, we visited the Pomological School of the late Dr. Lucas, so well-known to Pomologists by his works and his life-long labors. At the time of our visit he was fast declining, and on our arrival at Proskau we heard of his death. From Mr. Fritz Lucas, his son and successor, we received lists and notes of those fruits which had stood uninjured during their late trying winters.

At the late Pomological School at Kosteneuberg, near Vienna, we met Prof. Stoll, who has also a thorough knowledge of the

n to its
y of the
t it must
the fruit
have the
ose early
ose it to
a, made
ace found
wn westd returns
its birth,

e markets ity along not one ings and to incline good, and dly grown illages in diness one n a trying White nor ntonovka, d summer

ittle. We mate is not el selected and out of n kinds are ed Summer Ananasnoe, l'itovka.

fruits best adapted to the colder and more elevated parts of Silesia and Transylvania.

we

lin

qu

far

aci

fro

pe

no

fin

Ba

pro

me

wh

hea

Bre

me

the

use

qu

in

cul

spe

SOI

the

Or

Ch

801

the

Ge

ap

use

At the Pomological School at Troya, near Prague, in Bohemia, we found a very large collection of fruits adapted to mild climates.

At Proskau, near Oppeln, in Silesia, is the Pomological school of Eastern Prussia. The climate here is more severe, its elevation is 720 feet, its soil is cold, its south winds passing over the Carpathians are cold, and, I believe, dry. Most of the tender plants we had found further south are wanting. Director Stoll finds it necessary to study the question of hardiness, and hence we find his opinion very valuable for North Germany.

At Warsaw, the Pomological School, under Prof. Jankouski, is doing a grand, good work; in fact the best promological work we saw in Russia. The climate, however, of the city gardens is but very slightly more severe than at Proskau.

After leaving Warsaw, we scarcely found any tree or shrub which would be likely to prove tender in Montreal or even at Abbottsford, until, on our return westwards, we reached Kiev.

For the present, I will merely describe a few of the best latekeeping apples of Germany.

BATULLENAPFEL ROTHER.—This belongs to a family almost new to us. We saw it, for the first time, at the Pomological School of Dr. Lucas at Reutlingen, and were at once struck with its small, thick, plicated leaf. A singular fact, too, in regard to it, is that it grows readily from cuttings. We saw cuttings of it treated just as currant cuttings usually are, growing well at Reutlingen.

At the Kosteneuberg Pomological School, near Vienna, Prof. Stoll draws our special attention to it, and says it has been grown for at least one hundred years in Transylvania. It is of medium size, often largish, whitish or yellowish, with red side, pretty good quality, a very healthy, hardy tree in those climates, and a very abundant bearer. At Proskau we hear further good opinions of it. Its keeping qualities are variously stated. At Proskau they say till February. At Kostenenberg till April. At Troja they say till June.

The Weisser Batullen is said to be just like this except that it has less color, and some think they are the same.

of Silesia

Bohemia, d climates. ical school s elevation the Carr plants we ls it necese find his

nkouski, is al work we lens is but

or shrub or even at Kiev. best late-

ily almost omological ruck with ard to it, is it treated itlingen.

nna, Prof.
en grown
f medium
retty good
nd a very
ions of it.
they say
ey say till

ept that it

BAUMANN'S REINETTE.—At Warsaw, Proskau and Reutlingen we hear high opinions of this fruit. Mr. Lauche, of Potsdam, Berlin, in his Deutche Pomologie, says that its bearing, beauty and quality makes it deserving of very extensive cultivation, and says farther that it is fine grained, crisp, juicy apple, of characteristic, acidulated, spicy flavor. A valuable apple for family use, in season from January till March or May, but too small for market.

BOHNAPFEL GROSSER.—This has been long grown by the peasants on the Rhine and in Wurtemberg, yet Mr. Lucas does not mention it among his favorite kinds, probably from its lack of fine quality. It has the same thick, plicated, pubescent leaf as the Batullen, and would seem of the same race, and like it unusually productive. It is valued for drying, baking and cider. It is a medium-sized apple with a red side, harsh and sour until spring, when it becomes sweeter, but without aroma. Its long keeping and heavy bearing alone merit its extensive cultivation.

Boikenappel has been long known in the neighborhood of Bremen, long grown and highly esteemed, and has been recommended for general cultivation in Germany.

It has a snow white, firm, fine grained flesh, good fair size, though mostly green in color. An excellent table apple for family use, in season from January till June.

CHAMPAGNER REINETTE.—A little dessert apple of rather fine-quality which has been planted rather largely, says Mr. Lauche, in Germany since 1857, when it was recommended for general cultivation. It keeps till June. Dr. Stoll, at Proskau, gave us a specimen on July 28th. The tree, I fear, is not quite as hardy as some others. At Riga, not at all hardy. This, therefore, cannot be the Champagnskaya Pipka we heard of as hardy and valuable at Orel and other places in Central Russia. Mr. Shroeder describes a Champanskoe as a rather large, flat conic, greenish yellow apple somewhat striped. A winter fruit of very fine quality and a hardy, though a crooked growing tree.

Danziger Kantapfel has been grown, says Mr. Lauche, in Gernany and Holland under many names. "A fine-fleshed juicy apple of aromatic, acidulated sugary flavor." A valuable home use table fruit that keeps till January.

GULDERLING LANGER GRUNER.—A largish green apple tinged with red, grown in quantity in Silesia. It keeps till May and is then a fairly good eating apple. Earlier in the season it is too acid.

in

Ge

mo

slig

ext

nex

the

who

Buc

higl

Pro

Wa

bear

man

too

best

wher

hot, cold.

latitu

Quel tree

fall.

whic

on the

cultu

shou

GRUNER FUSTENAPPEL, (Green Princes' Apple), is grown largely about Hanover and Berlin, in Pomerania, and on the Rhine near Coblenz, and in cold districts among the Carpathian Mountains; a small or medium-sized green apple that keeps till May or june, and, though lacking beauty, yet very productive and, therefore, largely grown. The tree seems hardier than some others.

LANDSBURGER REINETTE.—A rather large yellowish fruit with dull red side, second quality or almost first, some say, for table; it bears abundantly, and keeps till January or, some say, till March. Mr. Goegginger says not hardy at Riga.

MUSCAT REINETTE.—This is one of the best of the German apples. It is highly prized and largely cultivated in Germany, Holland and France. It is a medium-sized yellow fruit, splashed with red, distinguished by its strong aromatic and sugary flavor. It keeps till spring. The tree is hardy in North Germany, but, Mr. Goegginger tells me, not at Riga.

PURPURROTHER CUSINOT.—Prof. Stoll, of Kosteneuberg, tells me that this tree is grown in very large quantity in Bohemia and Silesia, and is said to prove very hardy and productive in the colder parts of these districts. Oberdick called attention to its wonderful productiveness, says Mr. Lauche, and since then it has been recommended in Germany for general cultivation. A dull red fruit of medium size, of a slightly cinnamon sugary flavor. It is in season from December to May, and is said to be "the" apple of a season in some of the German markets. I regret to say that Mr. Goegginger has found it not hardy at Riga.

STETTIMER GELBER.—This is said to be a finer and preferable apple to the Stettiner Rother. It is a medium-sized, sometimes largish apple of good quality that keeps till spring and is grown largely for market in some districts in North Germany. A specimen of it was given to us to taste, by Dr. Stoll, at Proskau, on July 28th; of course at that late date it had lost flavor.

e tinged and is t is too

grown
e Rhine
MounMay or
d, therethers.
ruit with
or table;

German dermany, splashed y flavor. any, but,

say, till

erg, tells
emia and
é in the
on to its
em it has
A dull
avor. It

ometimes is grown A specioskau, on

regret to

STETTINER ROTHER has been grown somewhat at Warsaw, and in great quantity in the North Eastern Baltic provinces of Germany, whence it is shipped up the Vistula, and is the commonest apple in the Warsaw market in March and April.

WINTER CITRONENAPFEL (Citronat).—At Kiev, where it is slightly colder in winter and where the winter changes are more extreme than at Warsaw, this is considered their best winter apple next to Antonovka. Such was the decision of four members of the Forestry Association, residents of the Government of Kiev, who consulted together and gave this as their decision to Mr. Budd at the Forestry Convention at Moscow.

It is a large red apple, yellow only in the shade, a fruit of high quality, that keeps till March. It was not mentioned at Proskau among their best winter apples, but is a great favorite at Warsaw, especially for home use, for its tender flesh does not bear distant carriage. It did not seem hardy at Kursk, yet, like many of these German apples, valuable where the climate is not too extreme.

PEARS.

It may be a cause of surprise when I say that the pear is the best tree I know of for maintaining a dark, glossy, healthy foliage when planted on dry soil, in a climate where the summer sun is hot, the nights cool, the air excessively dry, and the winters very cold. Yet such is the case. In the public square at Simbirsk, in latitude 54, on the Volga, a climate as severe as the City of Quebec, the wild pear is a fine ornamental tree, and seems the tree which suffers least from dryness of air and diminished rainfall. I must add, too, that the one tree of largest diameter of trunk which I happened to see during a journey of nearly 1,000 miles on the Volga, was this wild form of pear; a tree at Saratof nearly 3½ feet in diameter of trunk measured near the ground.

At Simbirsk it was that we first met with extensive pear culture in extreme climates. Here there must be in orchard, I should think, 10,000 trees, and these mainly of two wild forms, one a Bergamot, usually about the size of the cut, or somewhat smaller, usually sweetish, perhaps with slight acid, usually lacking in juice, sometimes very slightly astringent and fair for cooking; sometimes very rough and quite unfit for cooking. The tree is a good upright

to

fac

of

no per for thi sav

wh Re ele sui pu

> gre ha

> is Tu

bi

lo

go


sh

bu

wì

w

th



WILD BERGAMOT OF THE VOLGA.

grower, and its dark glossy foliage is very ornamental. Mr. Budd picked a leaf off 30 trees, and really could not distinguish one from another. The leaf is smooth-edged with scarcely a trace of crenation.

The other wild form of pear found here, bears a small pyraform fruit, which it yields in quantity. Sometimes it is fit for cooking, but usually quite too astringent. It also is a fine tree. Its leaves are serrated. These two wild forms promise to be of great value to us, as the stocks upon which to graft our future pear orchards. These pears should be grown, if for nothing else, hat smallg in juice, ometimes d upright to produce seeds for growing hardy stocks, for it is an undoubted fact that a hardy stock increases the hardiness and early maturity of growth of that which is grafted upon it.

In Poland we find another wild form of pear, a common tree and a tree of large size. The leaf is fine in texture, though not very thick, and sharply serrated upon its edges. Its foliage is not as well adapted to a very dry climate as that of the Volga pears, nor is the tree as hardy, yet hardy enough for a good stock for our climate, and, for this purpose, it should be imported into this country in large quantity from the Warsaw Nurseries. We saw the wild pear growing in quantity between Kharkof and Kiev, but whether this same race or not I cannot say.

At Reutlingen, in Wurtemburg, we find the perry and cooking pears to be of a different race from those of Western France, whence American nursery-men have obtained their pear roots. Reutlingen is a fruit-growing neighborhood, and, on account of its elevation, cold above its latitude. The orchards, here, have suffered severely during the last unfavorable winters, but these pubescent-le ved pear trees have stood the test much better than the apple.

Tonkovietka.—This, I will speak of first, as it is the hardiest pear tree I know which bears an edible fruit. In Moscow, the severe winter of 1877 killed all the pear trees in the college grounds to the snow line. This, however, seemed about the hardiest, hardier even than Bessemianka. We find trees of what is said to be it in some peasant orchards in the cold climate of Tula, 120 miles south of Moscow. We again hear of it at Simbirsk as a pretty good pear that bears well. Mr. Shroeder who looks at fruits from a high standard of quality, says it is a fairly good eating pear, but not equal to Bessemianka. The Tonkovietka shown to us at Saratof was not the same; a larger and better fruit, but tree not hardy there. The name means slender stalk, a name which possibly may be applied to more than one pear.

Bessemianka is known also by the German name of Kerlnose, which means without seeds. It is by far the best pear grown in the severer parts of Russia. At Moscow it suffers during winters

Ir. Budd one from of crena-

all pyras fit for ine tree. to be of r future ing else,

pea

of i


in f

in o

ver arid off trur

juic astr I sk

of extra severity, yet, in sheltered places, it sometimes does pretty well. At Tula they say it stands their usual winters, now and then they have a winter when it is injured. There we saw a number of trees looking quite healthy. It is "the" pear there, and yet they say not as productive there as it is fifty miles farther south. At Simbirsk, it is considered not quite hardy. It grows for about ten



BESSEMIANKA.

years, bears fairly, and is injured or killed by some severe winter. At Saratof, we find trees seven or eight inches in diameter of trunk, which appeared quite hardy, and said to bear good crops. We find an orchard here of 500 large pear trees, all but one variety in good healthy condition, and this in a climate as cold as the city of Quebec, and so dry that irrigation is necessary for profitable orcharding. Here the Bessemianka was considered one of their best.

Again, in central Russia, at Orel, we find a great many trees, both young and old, and find it considered the best because the most reliable. The same story at Voronesh. At Kursk, in the


and then umber of yet they outh. At peasant gardens and nurseries near the town, we see large old trees of it, we see large numbers of young trees and a large supply of it in their little nurseries.

It is the most widely known, and the most largely grown pear in central Russia.

The tree is an upright grower, has large, dark, thick leaves, but very slightly crenated, almost smooth-edged, a leaf that stands aridity of air well. One fault this tree has, its branches easily break off from weight of snow, and thus often leave large scars upon the trunk.

The fruit is green, with some russetly brown, tender, rather juicy, gritty at the core, with few or no seeds, quite free from astringency, mild and pleasant, though not to say buttery. Season, I should think early October.

BERGAMOT. Of this family I will speak next. In the markets



AUTUMN BERGAMOT OF THE VOLGA.

re winter.
er of trunk,
rops. We
evariety in
the city of
ofitable ortheir best
any trees,
ecause the


sk, in the

on the Volga below Simbirsk, we find a small, round, early bergamot, but it rots at the core so badly that I cannot recommend it. There is, however, a large winter, or rather fall Bergamot, worthy of trial, and perhaps this may be the Bergamotte Osenii of Regel. At Simbirsk, we saw eight or ten trees of it, about four inches in diameter. At Khvalinsk and Saratof we also saw healthy old trees.

The fruit is green, with tendency to a little color on one side, and on an average it is about the size of our fameuse apple. The flesh is sweet, rather lacking in juice, but quite free from astringency. It has a tendency, though slight, to rot at the core, but if picked carefully and early, it may be kept into winter.

At Warsaw, we find in the market in fair quantity, a small, round pear, which, on enquiry, we are told, is the Common Bergamot, and that there are large old trees of it in exposed situations near there. We also saw large healthy trees of it in the Warsaw gardens. It is an autumn pear of very much finer quality than that grown on the Volga, although the tree has not been tested in as severe climates, nor does it show the same hardy wild character.

SAPIEGANKA.—This is the Bergamotte ronde d'été, introduced,



SAPIEGANKA.

I bel Polis saw. are i trunk

saw t feet. hardy there Orel tree a

R

Pomo communication saw. gamo neighbat Vicand saw. Riga,

juicy, at Sir some early,

soil.

Dolgo pears indivi find was a I believe, from Italy, about the 15th century, and named after a Polish nobleman. There are a good many trees of it about Warsaw. I am told that in one garden not far from the city, there are 185 old trees, of which the largest are two feet in diameter of trunk.

At Vilna, where the climate is more severe than at Warsaw, we

e. The

ingency.

picked!

a small.

n Berga-

ituations

Warsaw

han that

ted in as

roduced,

racter.

At Vilna, where the climate is more severe than at Warsaw, we saw ten or twelve old trees about one foot in diameter and one two feet. At Riga, some say "as hardy as an oak," others say pretty hardy. At Voronesh, Mr. Fischer spoke strongly of its hardiness there, although I have forgotten if we saw any trees there. At Orel it has not proved hardy. The verdict generally is a hardy tree and a long-lived healthy tree and a good fruit, but not capable of bearing quite as low temperatures as Bessemianka.

RED BERGAMOT (Rothe Bergamotte, Bergamotte d'automne, Leroy.)
—From the engravings of this pear given in Lauche's Deutsche Pomologie, it is a query in my mind whether this may not be the common Bergamot I have spoken of above as growing about Warsaw. At any rate I saw one fine old tree pointed out as this Bergamotte Rouge, and was told there were many more like it in the neighborhood. Our attention was first directed to it by Mr. Stoll at Vienna, and we learn that it has been grown largely in Silesia, and somewhat in Sweden. It is spoken highly of at Proskau and Riga, and is a pear of fine quality, recommended for all kinds of soil. It ripes in Sept. and Oct. and is well worthy of trial.

Moskovka probably deserves mention, a small pyraform pear, juicy, mild and non-astringent. We saw a good many trees of it at Simbirsk, large old trees, some of them, somewhat injured, yet some thought it hardier even than Tonkovietka. A good, little, early, cooking fruit.

Of pears without names I will next speak. If the fruit is long in shape it is called Doula, if small, Grusha. Another is named Dolgostebelka, which means long stalk, but as all the Russian pears except the Bergamot have long stalks, such names have no individuality. Under the name of Gliva, which is akin to Doula, we find great variety; one which I tasted at Moscow, and which I was assured was grown there, was as rich and buttery as a Bartlett.

At Orel, under the name of Doula Doukavoya, we find good healthy trees bearing a large, but uneven-sided, very sweet pear, juicy, and very nice. The same tree we saw at Simbirsk; the same unmistakable fruit again on the Bogdanoff estates, near Kursk. A valuable pear for cold climates.

BEZI DE LA MOTTE (Wildling Von Motte).—In Iowa, it has been stated by Swedes, that this pear grew far north in their native land. At Burlington, Iowa, Mr. Avery has been very successful in growing what he called the Crassane Bergamotte, a pear known at Warsaw and in the Baltic Provinces, but said there not to be very hardy. Is would now seem that Mr. Avery's trees are, as Mr. Downing has positively affirmed, the true Bezi de la Motte.

The fruit is medium, and sometimes large and tolerably round, buttery, melting, and of delicate sweet flavor. Mr. Goeschke, of Proskau, in his book, "Der Obstbau," says, a delicate dessert pear, but needs good soil, sheltered position and favorable weather to bear well. It ripens about 18th Oct., and keeps a long time. At Burlington, Iowa, this variety is promising, yet must not be ranked among the ironclads.

Delices de Jodoine.—In the Pomological Garden at Warsaw, we find one tree of this variety, erect in growth, leaves very dark in color, thick, pubescent, and in fact just like some inferior, but hardy Doulas and Glivas planted along side of it. The fruit, says Dr. Hogg, of London, in the "Fruit Manual," is three inches long, and the flesh is "half-melting, sweet, sugary and aromatic." All authors agree that the fruit is good. The foliage of this tree will not suffer from aridity of air; if of early maturity of growth, then a tree of decided hardiness. This tree is well worthy of a trial in the north.

CONFESSELS BIRNE is a tree with a large, close textured leaf, grown in quantity in the colder parts of Silesia where the thermometer goes down to 20 and 22. The quality of the fruit I do not know. I only know that it is grown chiefly for drying.

FONDANTE DE BOIS (Holz farbige Butterbirne.)—This pear we saw bearing heavily in the garden of the Pomological school at Warsaw, and in other gardens in the neighborhood; also in the

cold have ing

Fler ciety how the diffe Bud have it in

intr

beli

Ger and oth whe

in I

and

spo win plac dar wha

who qua pro

qui

d healthy uicy, and e unmis-A val-

has been tive land. in growa at Warbe very e, as Mr.

ly round, schke, of sert pear, eather to time. At be ranked

Warsaw, very dark erior, but fruit, says ches long, tic." All tree will wth, then a trial in

the therruit I do

pear we school at lso in the colder climate of Wilna. At Warsaw, it is one of the few that have stood the test of trying winters, and one of the best for planting in open exposure.

Fondante des Bois is a synonym of the Belle de Flandres, or, Flemish Beauty. In the catalogue of the Royal Horticultural Society of London, published in 1842, it proved so. Another pear, however, introduced from the continent, proved different, and yet the description of it is not like this. Different climates work wide differences in the appearance and quality of fruits. Still, Mr. Budd says, surely not Flemish Beauty nor anything like it. I, too, have known the Flemish Beauty in different climates, have grown it in quantity in Southern Pennsylvania in a garden I once owned there, have eaten some bushels of it in my lifetime, and cannot believe it to be the same as this Fondante des Bois.

Considering the value of this pear in Poland it ought to be introduced.

FUNTOVKA.—This is said by some to be the hardiest of the German or Polish pears. It has been scattered about a good deal and seems to maintain better health in the colder districts than any other. It bears a large pyraform fruit, good for cooking, but whether fit for dessert I do not know. Keeps till November.

GRUMKOWER WINTERBIRNE.—This pear has been long known in Eastern Prussia, and about eighty years ago was sent westward, and in 1857 was recommended for general cultivation. It is spoken well of at Warsaw as a tree that has stood the test of trying winters, not merely in the sheltered city gardens, but in exposed places. It is a long pyraform pear, green, but mottled light and dark, with but slight color; the flesh is tender, buttery, but somewhat lacking in sweetness, not equal to Flemish Beauty I would say. It is in season in October and November, and the tree requires moist soil.

LIEGEL'S WINTERBIRNE.—This, I am told, has been planted very largely in the colder parts of Bohemia, among the mountains, where it has become a large export product. It is sent in large quantity to Berlin as a winter dessert pear. It is, says Mr. Lauche, probably of Bohemian origin, and in 1853, at Naumberg, it was

recommended for general planting. It has fine-grained, melting flesh, of agreeable, and somewhat spicy flavor, and is in season from November to January. It has not yet been planted outside Bohemia as largely as it deserves.

LEON GREGOIRE is another of about equal hardiness. It is hardier than Zepherin Gregoire, which is one of the hardiest of its class. Mr. Lauche says it was grown in Belgium by Xavier Gregoire from seed of Napoleon, and says it is melting, rich in juice, and of an acidulated, sweet and slightly spiced flavor. A good sized pear of fair quality which keeps till November, or later.

PASOVKA is one of the hardy Polish pears, long known and planted to a fair, or rather, large extent. The fruit is long and narrow, yellow, often with a red side, of fair size, very pretty, pretty good quality, and very good for cooking. It ripens in August.

POUND PEAR (*Pfundbirne*).—There are many pears of this class. At Riga, the nurseries speak of the Pfundbirne as a hardy and productive tree, which bears a large, green cooking fruit, in season in September and October.

SALZBURG.—We were struck with the healthy growth and thick leaf of this tree when we first saw it in the Pomological Gardens near Prague, in Bohemia. At Proskau, Director Stoll kindly drove us to where it had been planted as a road-side tree; large, healthy, upright trees.

However, as we follow northward, we find this tree is not as hardy as others. At Riga, it is somewhat tender; at Warsaw, it has been grown a good deal, yet it suffers at times. It is a pear of medium size and rather fine quality. The tree is possibly hardy enough for a sheltered city garden in Montreal, but is more likely to be of use in climates like Brockville, Kingston and Toronto. It is said to be a pear of fine quality.

SUGAR PEAR (Zucherbirne, Zaharna, Saharnaya).—Under these names, which mean the same, we find many varieties of a healthy, hardy race, well worthy of trial. Wurtemberg, Warsaw, Riga, Orel, &c., all have their sugar pears. They are usually productive, fair quality for eating, good for cooking, and would be very salable upon our markets.

mate tines grea

over

de E narre name culture only when visit picke to ge 10,00 such coun

Viazz We fi to be of sta well,

am to

all thany a cherroculturin fait few to it is

altho

type,

melting in season doutside

ess. It is liest of its avier Grein juice, A good

later.
nown and
long and
etty, pretty
August.
I this class.

hardy and , in season

n and thick il Gardens ndly drove ge, healthy,

is not as
Warsaw, it
is a pear
sibly hardy
more likely
d Toronto.

Inder these f a healthy, saw, Riga, productive, e very sal-

CHERRIES.

The cherries of Northern Europe best adapted to severe climates belong to a family which is scarcely known upon this continent. I will describe a few of those that have been found of greatest value at the north.

VLADIMIR.—First in importance are the cherries known all over Russia under this name. Like the Ostheim and the Brune de Bruxelles, they are usually bushes rather than trees, and have narrow, small, but finely textured thick foliage. It has been named Vladimir, I suppose, because in that Government its culture has attained such vast proportions. The fruit we saw not only in the markets, but sold in the screets in all the larger towns, where the consumption of this cherry is very large. We did not visit the cherry districts in Vladimir, as the crop had been already picked and marketed when we arrived there. We tried, however, to get some estimate of the extent of its culture there. Are there 10,000 trees ? I ask. More than 100 men have 15,000 each, and such was the tenor of other statements from those who know the country well. What is the amount shipped? I ask. am told that entire cars, and in some special ir stances, entire trains have been loaded with this one product. At the village of Viazniki the chief industry of the neighborhood is cherry culture. We find it in all the Northern markets in great quantity. It seems to be cut off the tree with scissors, leaving about an inch or less of stalk attached to the fruit, and thus picked it stands carriage well, and then keeps for some little time after arrival.

In the peasant villages in the Government of Kazan, and in all the towns we stayed at on the Volga, wherever a peasant had any apple trees, he was sure to have also a patch of this Vladimir cherry, sometimes carefully thinned, seldom in a high state of culture, and often grown into a thicket; everywhere it was grown in fair quantity, and in all the markets, though past its season, a few were still to be found. Again in Central Russia, everywhere it is the most largely grown variety, the popular market variety, although at Voronesh and Kursk we find fruits more of the Guigne type, not quite hardy, yet bearing finer fruit. As far South even as

Kharkof and Kiev, it is the popular kind, and in the more Southern climate of Kiev, still reclaims its dwarf habit of growth. In one garden there, we saw it planted under plum trees, just as current bushes in city gardens often are with us.

CQI

fol

mu

ma

tha

on

nui

Ge

50

this

Iov

ing

Wa

Ho

swe

" A

sert

Lou

faite

qua

frui

a y

red

who

sell

tree

to 1

son

hea

ma

The tree, if I may so speak, is of bush form, and when it becomes too old to bear profitably, the older parts are cut away, and new sprouts take their place. It is usually grown in sod, and under such lack of culture brings good returns, hence its great value to us as a tree for careless cultivators. It can be grown from seed, as it often is, but as it varies somewhat, it is better to propagate from the best by sprouts. Sometimes, though rarely, it is grafted. Some trees are erect in growth, others weeping; both forms are widely scattered. The weeping is usually considered the best, but not invariably so. Some have red flesh, but as a rule the flesh is deep, purplish red; the skin, when fully ripe, reddish black, and when fully ripe, almost over-ripe, a rich mingling of acid and sweetness. When quite over-ripe it loses its acidity, and combines with its sweetness somewhat of the peculiar but pleasant bitter of the commoner kinds of Guigne.

If the cultivation of this Vladimir cherry proves such a profitable industry to large numbers of people in Russia, in a climate as severe as the city of Quebec, why might it not prove equally profitable in like climates here? It certainly should be introduced, and that in quantity for immediate trial, and if successful there is no reason why we should not have several Canadian Vladimirs, with their millions of cherry bushes, and their canning establishments, and good cheap cherries in all our markets.

OSTHEIM (Ostheimer Weichel.)—I am told by Director Stoll, of Proskau, that this is a native of the Sierra Nevada Mountains in Spain, where it was found at elevations of 5,000 and 6,000 feet, and that it was brought to Germany in 1687 by a German Professor, whose name is known, though I cannot give it, and who grew it in the neighborhood of the town of Ostheim, whence its present name. Those who assign to the cherry an oriental origin, and cite Pliny that it did not appear in Italy until after the defeat of Mithridates, King of Pontus, in B. C. 65, hold that it must have

the more of growth. s, just as

hen it beaway, and
sod, and
e its great
be grown
better to
gh rarely,
weeping;
ually conflesh, but
fully ripe,
rich minit loses its
ne peculiar

ch a profita climate we equally introduced, ful there is Vladimirs, establish-

or Stoll, of countains in 6,000 feet, erman Proand who whence its ntal origin, the defeat must have come to Spain from the East, but this is mere conjecture. In foliage, and in habit of growth, it is much like the Vladimir, and must be nearly related to it.

In Germany it has been largely grown in some places for the manufacture of cherry wine, or cherry brandy, and it seems strange that a cherry, so largely grown there, should be almost unknown on our Continent. In the catalogues of Canadian or U. S. nurserymen, it is not to be found. However, Mr. E. Myer, a German colonist, who settled in Minnesota, at St. Peter, about 50 miles South-West of St. Paul, brought with him the sprouts of this cherry, which have been fruiting in that severe climate. (See Iowa Hort. Soc. report 1881, p. 371.)

In color the Ostheim is like Vladimir, a dark red, becoming, when very ripe, a dark purplish red. When we tasted it at Warsaw, we found it but mildly acid, and rather rich. Dr. Hogg says; "Flesh very dark, tender, juicy, with a pleasant, sweet and sub-acid flavor." M. Goeschke, in Der Obstbau, says: "An excellent, agreeable, sweetish-sour flavor. A first-class dessert fruit, and particularly in demand for preserves." M. Simon-Louis, in his Guide Pratique, says: "de première qualité à perfaite maturité," and "extraordinairement fertile."

There seems no doubt as to its hardiness, productiveness or quality, and like the Vladimir it is worthy of extensive trial.

Brune de Bruxelles (Brüsseller Braune. Ratafia of Hogg.) — This is another of dwarf habit of tree, and like foliage. The fruit is large, what we saw, I might say, very large, but it was upon a young tree bearing one of its first crops. It is dark brownish red in color, and a rich acid, which tones down but little except when over ripe. On account of its large size and good color it sells in the Warsaw market at one-fourth more than Ostheim. The tree is hardy, but not as hardy as Vladimir or Ostheim,

DOUBLE NATTE (Doppelte Natte) is another often recommended to us. It is, I think, of similar foliage, but not quite as hardy as some others, and yet reported hardy at Orel. Usually not a heavy bearer, but very delicate in flavor, and a great favorite with many,

In Central Russia we find many varieties superior in fruit, though not so hardy nor such reliable bearers. At Tula, varieties known as the rose, white rose, dark rose, black and white Spanish are recommended, and yet the query suggests itself whether they may not have been planted on an incline and bend down as the Reine Claude plums are. At Voronesh, many have been selected, but not under known names. Among them the Proseratchnaya Rosenia, a rosy cherry of transparent type, propagated by grafting. At Simbirsk, we hear of a cherry almost black, and larger than Vladimir, known as Roditelskaya. At Khvalinsk, a cherry known as the Turkish, seemed hardy, and said to bear very large fruit.

Among the cherries grown in Russia, at Kursk and Voronesh, and southwards, we find trees whose foliage would appear to be crosses between the Griotte or sour cherry, and the Guigne or sweet cherry of heart or brigarreau type. As a class they are not equal in hardiness to Vladimir or Ostheim, yet most valuable in climates of moderate severity.

Of other German cherries, I would mention Szklanki, or Glaskische doppette, a Polish seedling, said to be a hardy and good bearer, of fruit the size of Ostheim, and much like it in flavor, but red in color, and with yellowish flesh. Leigel's Fruh Weichel, a fair-sized tree of Ostheim foliage, dark-purplish skin and flesh, and much of Ostheim character. The Kleparovska, another Polish cherry, from Gallicia, near Lemberg, has proved very hardy at Shatten Amarel, a large dark red cherry of mild flavor, and of Ostheim foliage. A short stalked Amarel, of which I cannot give the proper name, which is coming into great favor about Berlin and other places. Amarel Tardive, a weeping tree of Ostheim leaf, dark purplish red, and somewhat acid. Rose Charmeux, a large, red, mild, delicate, watery, mild-flavored fruit. toyka, a large, good, yellow fleshed, red cherry, and a hardy tree.

In the German or Amana colonies on the Iowa River, in Johnson County, Iowa, colonies which moved to their present place from the State of New York, Mr. Budd tells me that there is grown in quantity, in each of their seven villages, a variety of the bird cherry, which bears young and abundantly a fruit which they value

and frui no rath larg

for

gari place self high of noth

has suita proc to b grea W. (tural

tity (trial,

the p to the and l and v Nijni Mose nearl

Hung

for cooking. It has thick dark foliage, and pendulous branches, and does not sprout after it commences to bear heavily. The fruit is about as large as a good-sized black currant, with a stone no larger than an ordinary bird cherry. It is a pleasant acid, rather too acid to eat raw, but so valued for pies as to be grown largely.

Dr. Hogg, also, mentions a variety of the native Cerasus Vulgaris, under the name of Peramdam which has been grown in one

Dr. Hogg, also, mentions a variety of the native Cerasus Vulgaris, under the name of Peramdam, which has been grown in one place in Lincolnshire for 200 years or more. Dr. Hogg has himself a tree of it 100 years old, and yet not more than seven feet high. A small round fruit, half an inch in diameter, pale red and of agreeable lively acidity. Its hardiness, of course, I know nothing of.

Our wild red cherry, or pigeon cherry (Prunus Pennsylvanica), has been recommended as a stock for the cultivated cherry. If suitable, certainly no stock could be hardier or more readily procurable. Botanically, it is said of all our native species to be that most nearly related to the European cherry. We are greatly in need of a hardy, cheap stock. The experience of Mr. W. G. Waring, of Tyrone, Pa., as given in Report Iowa Horticultural Society, 1880, is very encouraging.

What I would urge in this matter is the introduction in quantity of the Vladimir and Ostheim into this country for extensive trial.

PLUMS.

In all our most northern rambles in Central Russia, we find the plum grown in fair quantity, and supplying a certain amount to the local markets. In the severe climates of Moscow, Vladimir and Kazan, we find plums, and some of them of really fine quality; and we are told that in the village of Gorbatovka, forty miles from Nijni Novgorod, they are grown in large quantity for the Nijni and Moscow markets. These plums belong to a family more or less nearly related to the Quetche or Prune plums of Germany and Hungary. Like the Vladimir Cherry, these northern forms of the

rry known rry known ge fruit.
Voronesh, pear to be Guigne or any are not raluable in

ki, or Glas-

and good flavor, but Weichel, a d flesh, and her Polish hardy at mild flavor, hich I canfavor about tree of Os-Rose Charfruit. Luhardy tree. er, in Johnesent place ere is grown f the bird

they value

tre

ed

wh

hai

SOL

am

Rei

De

fine

pla

gro

sno

the

and

has

and

bes

Ku

laid

goo

Kie

thei

con

said

The

COO

We

gard

COVE

mar

mor

bush

love

plum are dwarf in habit of tree, often bushes, and this seems to be a provision of Nature; for, in these cold climates, if a plum bush is killed to the ground new shoots soon grow and bear. Of these plums there is great variety; some are red, others yellow, but mostly blue; they differ widely in flavor, some, I would say, equal to Lombard, some are early, some late; they are usually without any astringency of skin, and usually free stone. I was not prepared to find such plums in the cold climates of Russia. The improved varieties of the wild plum of the North-Western States, I had exected to be the future plums of the Province of Quebec. I have some of them, heavy and reliable bearers, but of medium quality only. There are much better varieties than those I have, for instance, the Desota and others, yet, these non-astringent, fleshy, free stone Russians, have a combination of good qualities which entitle them to extensive trial in our cold country. I would say, however, that they will prove as easy a prey to the curculio as other European kinds, while the North-West Chickasaw, though not too thick-skinned to prevent puncture, is, as Mr. Budd observes. so juicy, as usually to prevent the inserted eggs from hatching.

These Russian Plums are grown, no doubt, sometimes from stones, but usually from suckers. Most of the horticultural gardens or nurserymen have made small collections of the best they have found. By thus obtaining roots of the best, from a number of points, we may, more or less, get the best of these Russian seedlings.

One of the commonest in the northern markets is a long, dark, dull red, prune-shaped plum, tapering toward the stalk, not rich, but non-astringent, and a really good cooking fruit. The Skorospelkaya Krasnaya, at Petrovskoe, is said to be about the best of these red kinds, and the tree one of the hardiest, but season a little later than some other red. Mr. Shroeder has six kinds he recommends, three of which we saw in fruit, but before they were ripe. The Volga Valley, too, has its, plentiful supplies of plums. Especially at Simbirsk, we find them in great quantity and variety. At Voronesh, Mr. Fischer specially recommends the Moldavka, a large violet plum, not to say juicy, but of medium quality, rather a large

tree, grown from suckers, and found to be very productive; I counted 150 plums on one branch. Here, too, we find the Yellow Egg, whether our old Yellow Egg or not I cannot say; tree seemingly hardy, but either from want of proper ripening of wood, or from some other cause, not a good bearer.

At Tula, we find quite a variety in the peasant orchards, and among them Reine Claude. Yes, in Russia, we find a family of Reine Claudes, red, white and blue; and Mr. Lauche, in his Deutsche Pomologie, describes such varieties. They are of very fine quality, extra quality, but in the cold climate of Tula, they are planted at an angle of 45 degrees or less, and bent down to the ground before the snow falls. Thus protected by a covering of snow they often bear bountifully. When too old to bend down they are allowed to take their chances, often bear a crop or two and then die. A whitish plum, known as the White Hungarian, has also proved successful, as well as the White Otschakovskaya and the White Vengerka. At Orel, we find a collection of the best under names which mean large blue, large yellow, &c. Kursk, we find the Reine Claudes planted more freely, but unless laid down, they are not reliable, though they may sometimes bear a good crop in the sheltered peasant gardens around Kursk. At Kiev, we find more of the German and French varieties, and, therefore, notes from that climate are less valuable to us.

The Prunus Spinosa, of Russia, is very interesting, and quite common as far north as any other plum. The peasants always said it was not a plum, but called it by the Russian name for thorn. There is a large fruited variety of it, round, blue and really good for cooking, far better than our Canadian wild plum for that purpose. We saw it bearing heavily in many places.

A dwarf variety of the Spinosa should be introduced into our gardens as an ornamental curiosity. The fruit is quite small, blue, covered, with a bright blue bloom. I have seen it for sale in the markets, but fear it would be very sour. The bushes are seldom more than three feet in height, and I have seen little round-headed bushes, not more than eighteen inches in height, loaded with lovely blue fruit. Strikingly curious and beautiful.

seems to
lum bush
Of these
low, but
ay, equal
without
not preThe imStates, I
Ouebec.

stringent,
qualities
I would
urculio as
though
observes,
ching.

medium

e I have,

mes from al gardens they have umber of ian seed-

ong, dark, not rich, e Skorose best of on a little he recomwere ripe. Especriety. At xa, a large

er a large

MELONS.

Russia has long been celebrated for its melons. The best we saw belong to types we have not.

th

fr

ea

ti

se

lea

Ιo

lo

po

the

dis

tril

So

acq

peo

Musk Melon.—In the markets we used to find a melon about fourteen inches long, netted, the flesh very deep, and a creamy white in color, and of the highest quality, I call it a musk melon merely because I do not know what else to call it. Those who abstain from musk melons are not likely to object to these. Like the Khiva melons, which one of the Emperors of China always enquired about on the arrival of the caravans, this is a keeping melon, and may readily be kept till Christmas. It may be a little late in ripening. However, on September 2nd we found fine specimens in the Simbirsk market, said to be grown on the lower Volga, probably at Tsaritsim, Sarepta or Astrachan. In the Kursk and Voronesh markets we also find them sent from the south. These melons are grown in Russia, where the summer is longer than ours, yet not with such hotbed care as we can give them, and they seem to be picked early. They cannot, therefore, be so very late. Next autumn will test their value in this climate.

Water Melon.—Nearly every barge that is being towed up the Volga has somewhere a small deck load of water melons. In all the markets we find them in great quantity. They are a great staple article of food. They are all alike, round, about 10 inches in diameter, a creamy white in color, with red flesh, and of fine flavor. Those who have grown the Russian netted cucumber alongside of the finer English frame varieties, may have noticed the hardy, take-care-of-itself character of the Russian plant. Just such a hardy nature I expect to find in this Russian water melon. It grows without care in vast quantity, apparently as readily as pumpkins do with us, that is at Saratof and Southwards. At Kursk and Voronesh it is not quite so large. It is a melon of fine quality likely to do well in the hands of not very careful cultivators.

lating not more than electronic school to dedget, loaded with

FINIS.

Our journey to Russia has shown how necessary such a journey was. It has set us upon the right track, and will greatly hasten the introduction and dissemination of the best of the Russian fruits—a matter to which all our Northern horticulturists were so eagerly looking. We have but broken ground; the work will continue by importations, by correspondence, by the interchange of seeds and scions.

It was so fortunate, too, that Mr. Budd was himself able to leave his college duties for so long a journey.

Every useful point of knowledge gained will be utilized in Iowa. All promising varieties will be fairly tried in different localities, the most promising scattered broadcast as soon as possible. The other North-Western states will soon take action in the matter. Ontario will do something, especially for her colder districts.

When will our own Province have a propagating centre, where the fruits adapted to each county may be propagated and distributed to each county, as prizes by the County Agricultural Societies.

The action taken by our Provincial Government will be an accurate test of the interest taken by our Government in the people's welfare.



st we

about reamy melon e who Like always eeping a little and fine e lower Kursk south. longer em, and

so very

owed up
ons. In
a great
o inches
of fine
ucumber
noticed
nt. Just
r melon.
eadily as
rds. At
melon of

y careful